



His Majesty's Senior Coroner South Wales Central Coroner Area Coroner's Office The Old Courthouse Courthouse Street Pontypridd

Dear Sirs

Re: Regulation 28 Report (Akeem Rhoden (Deceased))

Neath Port Talbot Council wish to thank the Coroner for writing to our Chief Executive and bringing to our attention the various matters of concern that were prompted by her investigation into the tragic death of Mr. Rhoden. Neath Port Talbot Council express their deep regret and sorrow at the death of Mr Rhoden.

It should be noted that this response is based entirely on the Regulation 28 Report that was received.

We acknowledge the Coroner's concerns and will accordingly consider signage at the land we own and manage at the site in question. The Brecon Beacons National Park is an area which is designated for its special qualities

www.npt.gov.uk

consequently, signage is something we must consider very carefully in the context of a natural landscape. We will seek to respond to the key point of signage that has been raised by the Coroner's concerns, and to identify any changes to signage to mitigate the risk of any future death by accident by someone visiting the site by undertaking a signage review and implementing any necessary actions.

In autumn 2022, as a result of the concerns that the Coroner raised in a report concerning a different fatality, Brecon Beacons National Park Authority and Neath Port Talbot Council jointly commissioned an independent review of signage at the Site and this work continues. Neath Port Talbot Council is committed to working collaboratively with the other public body landowners and colleagues to improve our joint management of matters that affect visitors to the site. We hope that we can continue the dialogue to create a unified approach to health and safety matters within the National Park. In the interim, Neath Port Talbot Council have commissioned a review of all signs within its high-volume visitor areas to ensure they are fit for purpose and are uniform in their design, content and application. It is anticipated that this work will be concluded in by the end of March 2023.

It is important that we offer factual response to the Coroner's findings, both to acknowledge and to identify any issuesand to correct any misperceptions which may be barriers to full learning.

The Coroner's key points are summarised here, and the full table can be found in her Regulation 28 Report:

Coroner's	Response	Action already	Action proposed
Matters of		completed	
Concern			
The signage at all	We agree with	We have	To review signage
waterfalls in	using signs that	instructed an	and implement a
Waterfall Country	are clear to all	independent	uniform form of
must be	users regardless	reviewer to	signage.
addressed	of language. It	advise on the	
	should be noted	formation and	
	that each	content of new	
	authority must	signs and	
	also comply with	temporary signs	
	Welsh Language	are being put in	
	Standards which	place to warn of	
į.	does require	concerns.	
	additional		
	information to be		
	present.		
There were no	We agree with	We have	To review signage
adequate signs to	using signs that	instructed an	and implement a

warn of potential	are clear to all	independent	uniform form of
dangers	users regardless	reviewer to	signage.
augo.o	of language. It	advise on the	8.12821
	should be noted	formation and	
	Southern Market Protection (1992) The Original Contract of Contract Contrac		
13	that each	content of new	
	authority must	signs	
	also comply with		
	Welsh Language		
	Standards.		
Any sign(s)	We agree with	We have	To review signage
Signage erected	using signs that	instructed an	and implement a
ought in plain	are clear to all	independent	uniform form of
English and spell	users regardless	reviewer to	signage.
out the risk of the	of language. It	advise on the	
danger of the	should be noted	formation and	
power of the	that each	content of new	
water.	authority must	signs	
	also comply with		:
	Welsh Language		
	Standards.		
Existing signage in	We accept	We have	To review signage
'Waterfall	additional signage	instructed an	and implement a
Country' is	can explicitly	independent	uniform form of
overloaded with a	address safety	reviewer to	signage.

C

variety of	concerns	advise on best	
information, is		practice signs	
not explicit in			
warning of the			
real danger of			_
death from			
entering the			
water.			-

In the interim, a number of additional steps have been taken:

- The Neath Port Talbot website has been updated to advise individuals of the potential risks involved.
- Signs will be erected to advise individuals of unpredictable water flow.
 Advice has suggested to date the Council should refrain from using any words such as Danger, Caution or Warning as it indicates a problem, and indeed Deep Water as someone will no doubt dive in when it is shallow.

We trust that such information will demonstrate the Neath Port Talbot Council's commitment to working to prevent future incidents in this area.

Yours faithfully

